

GO LAMP-FREE AND SAVE

DISCOVER MORE AT
casio.co.uk/projectors



THE WORLD'S FIRST[†]
**LAMP-FREE
PROJECTOR**

**5 YEAR /
10,000 HOUR*
WARRANTY**

**LOW
MAINTENANCE**

**MERCURY
FREE**

Contents

| | |
|------------------------------------|----|
| Key features and benefits | 02 |
| Core Series | 03 |
| Advanced Series | 04 |
| UST Projector | 05 |
| At a glance (cheat sheet) | 06 |
| Green Slim Series | 08 |
| Pro Series | 09 |
| Remote Projector Management | 10 |
| Lamp-Free Technology Benefits..... | 11 |
| Projector range | 12 |

Key features & benefits

Casio's lamp-free projection range has a model suitable for most applications including classrooms, boardrooms, exhibitions and retail. Here you can understand the benefits of our lamp-free technology and why Casio is the market leader for solid-state projection.

Lamp-free

Casio projectors use Laser & LED Hybrid technology instead of lamps, not only improving environmental credentials but also reducing power consumption. Never having to change a lamp removes hassle for the user, ensuring total peace of mind

Mercury-free

No mercury is featured in the projectors, making them safer for both the user and environment

Low power consumption

The Laser & LED Hybrid light source uses less power than a conventional projector lamp and also has quick on/off functions, saving you time and money over the lifetime of the projector

Low maintenance

With no lamps to change and no filters to replace, the Casio range requires only minimal maintenance. This reduces projection downtime ensuring maximum productivity

Intelligent Brightness Control

All Casio projectors (excluding the XJ-V1) feature Intelligent Brightness Control that adjusts brightness levels according to the ambient light in the room. This reduces power consumption, saving the user money, and ensuring that the projector is always bright and vivid

Low TCO

Purchasing a Casio projector means there is only one fixed cost. There are no lamps or filters to change throughout the lifetime of the projector

5 year warranty

All Casio projectors come with a 5 year/10,000 hour on-site warranty* on both hardware and light source offering users total peace of mind

*Whichever comes first and upon registration. Visit: www.casio.co.uk/projectors

Casio Projector Range

Core Series

Essential projectors for every budget

Leading the way with affordable lamp-free projection is the Core series. Using the cost-effective, environmentally-friendly Casio Laser & LED Hybrid light source the Core boasts a brightness of up to 3,500 ANSI lumens. Now with the addition of 3 new models the Core series includes up to 1.5 optical zoom, making them the perfect replacement projector for a variety of applications. The Core series offers outstanding low total cost of ownership for high quality, impactful presentations with virtually no drop off in brightness. All Casio projectors come with a 5 year/10,000 hour warranty* offering users total peace of mind, over the 20,000 hour projector lifetime.

- Lamp-free
- Up to 3,500 ANSI lumens
- XGA and WXGA resolution
- Up to 1.5x optical zoom
- HDMI and RS-232C connectivity
- Quick start and stop
- Eco-friendly low power consumption
- Can be retrofitted to existing installations
- Dust Resistance
- Contrast Ratio 20,000:1

| Models | Brightness (ANSI lumens) | Resolution |
|----------|--------------------------|------------|
| XJ-V1 | 2,700 | XGA |
| XJ-V10X | 3,300 | XGA |
| XJ-V100W | 3,000 | WXGA |
| XJ-V110W | 3,500 | WXGA |

“ I AM INUNDATED ON A DAILY BASIS BY TEACHERS WHO STILL HAVE LAMP-BASED PROJECTORS ASKING ME WHEN THEY CAN HAVE ONE OF THE CASIO MODELS” HOUNSDOWN SCHOOL



[Click here](#) to read full case study



XJ-V10X, XJ-V100W, XJ-V110W

XJ-V1

THE WORLD'S FIRST[†]
**LAMP-FREE
PROJECTOR**

**5 YEAR /
10,000 HOUR^{*}
WARRANTY**

**LOW
MAINTENANCE**

**MERCURY
FREE**

[†] In 2010, Casio launched the world's first Laser & LED Hybrid Lamp-free projector over 2,000 ANSI Lumens

^{*} Whichever comes first

Advanced Series

Increased connectivity, ideal for a variety of applications



Adding to the Casio lamp-free line up is the Advanced Series. With brightness of up to 3,500 ANSI lumens and 1.5x optical zoom, these new models are the ideal replacement projectors for a variety of applications. The Advanced Series offer extensive connectivity options including 2 x HDMI, powered USB, WLAN* and LAN providing complete flexibility for multiple environments. A powered USB port allows easy use of Intel® WiDi, Miracast and Chromecast. This enables a cost-effective way to integrate tablets and other smart devices. LAN-based models are compatible with Crestron Roomview Express®, supplied free of charge. This software enables control of up to 250 Casio projectors from a single location via LAN, see page 10 for more information.


- Lamp-free
- Up to 3,500 ANSI lumens
- 1.5 x optical zoom
- XGA and WXGA resolution
- 2 x HDMI composite connectivity
- Powered USB
- Quick start and stop
- Eco-friendly low power consumption
- RS-232C
- LAN and WLAN connectivity
- Audio IN / OUT
- Crestron Roomview Express®

| Models | Brightness (ANSI lumens) | Resolution | LAN | WLAN |
|-----------|--------------------------|------------|-----|----------|
| XJ-F10X | 3,300 | XGA | - | - |
| XJ-F20XN | 3,300 | XGA | Yes | Optional |
| XJ-F210WN | 3,500 | WXGA | Yes | Optional |



[Click here](#) to find out more

USB Power Supply



**CRESTRON
CONNECTED**
See page 11 for more information



THE WORLD'S FIRST
**LAMP-FREE
PROJECTOR**

**5 YEAR /
10,000 HOUR*
WARRANTY**

**LOW
MAINTENANCE**

**MERCURY
FREE**

* In 2010, Casio launched the world's first Laser & LED Hybrid Lamp-free projector over 2,000 ANSI Lumens
* Whichever comes first

Ultra Short Throw Projector

Ideal for both replacement and new-build projects

ALL EYES ON
UST

Casio's lamp-free Ultra Short Throw projector can be mounted close to the wall and create large, powerful presentations even in smaller rooms. The Casio UST is switchable between WXGA and XGA resolutions offering compatibility with new and existing installations.

Ultra Short Throw projection eliminates virtually all shadowing on the screen, allowing for more creative and engaging presentations. The mercury-free Laser & LED Hybrid light source offers excellent total cost of ownership, with virtually no maintenance throughout the projector's 20,000 hour lifetime.

- Lamp-free
- 3,100 ANSI lumens
- WXGA resolution with XGA compatibility option
- Creston Roomview Express®
- Quick start and stop
- Low power consumption
- Lifetime filter (dust resistant)
- Extensive connectivity options
- Can be retrofitted to existing installations
- HD ready

| Models | Brightness (ANSI lumens) | Resolution | USB/WLAN |
|------------|--------------------------|--------------|----------|
| XJ-UT310WN | 3,100 | WXGA (16:10) | Yes |



[Click here](#) to read full case study

“ WITH NO LAMPS OR FILTERS TO CHANGE, THE PRODUCT IS EXTREMELY LOW MAINTENANCE AND DOESN'T HAVE ANY DOWNTIME FOR CHANGING PARTS, MAKING THEM A GREAT INVESTMENT”

THE UNIVERSITY OF MANCHESTER



CRESTRON
CONNECTED

See page 11 for more information



THE WORLD'S FIRST[†]
**LAMP-FREE
PROJECTOR**

**5 YEAR /
10,000 HOUR*
WARRANTY**

**LOW
MAINTENANCE**

**MERCURY
FREE**

[†] In 2010, Casio launched the world's first Laser & LED Hybrid Lamp-free projector over 2,000 ANSI Lumens

* Whichever comes first

| MODEL | | | CORE | | | | UST |
|--------------------------------|----------------------|-------------------|---|--|---|---|---|
| | | | NEW | NEW | NEW | | |
| Specification | | | XJ-V1 | XJ-V10X | XJ-V100W | XJ-V110W | XJ-UT310WN |
| Technology | | | XGA 0.55" DLP® chip | XGA 0.55" DLP chip | WXGA 0.65" DLP chip | WXGA 0.65" DLP chip | WXGA DLP® chip |
| Light Source | | | Laser & LED Hybrid | Laser & LED Hybrid | Laser & LED Hybrid | Laser & LED Hybrid | Laser & LED Hybrid |
| Life Expectancy | | | 20,000 Hours | 20,000 Hours | 20,000 Hours | 20,000 Hours | 20,000 Hours |
| Brightness (ANSI Lumens) | | | 2700 | 3300 | 3000 | 3500 | 3100 |
| Intelligent Brightness Control | | | - | Available (Manual) | Available (Manual) | Available (Manual) | Available (Auto / Manual) |
| Contrast Ratio | | | 20,000:1 | 20,000:1 | 20,000:1 | 20,000:1 | 1800 : 1 |
| Native Resolution | | | XGA (1024x768 pixels) | XGA (1024 x 768 pixels) | WXGA (1280 x 800 pixels) | WXGA (1280 x 800 pixels) | WXGA (1280 x 800 pixels) |
| Max Signal Resolution | | | UXGA / WSXGA+ | WUXGA | WUXGA | WUXGA | UXGA / WSXGA+ |
| Lens | Standard zoom | | 1.1 x optical zoom (manual) | 1.5 x optical zoom (manual) | 1.5 x optical zoom (manual) | 1.5 x optical zoom (manual) | - |
| | Focus | | Manual | Manual | Manual | Manual | Manual |
| | Offset | | 72% | 50% | 33% | 33% | 118% (60°) |
| Fan Noise | | | 35dB (default) | 35dB (default) | 35dB (default) | 35dB (default) | 33 dB (default) / 28dB |
| Keystone Correction (Vertical) | | | +/-30° (manual) | Auto : +30° (Manual : ±30°) | Auto : +30° (Manual : ±30°) | Auto : +30° (Manual : ±30°) | +/- 5° |
| Screen Size (diagonally) | | | 30 - 300" | 30 - 300" | 35 - 300" | 35 - 300" | 50 - 100" |
| Throwing Distance | 60" screen | | 1.79 to 1.99m | 1.95 to 2.87m | 1.64 to 2.42m | 1.64 to 2.42m | 0.13m |
| | 100" screen | | 3.07 to 3.41m | 3.33 to 4.85m | 2.81 to 4.11m | 2.81 to 4.11m | 0.40m |
| Throw Ratio | | | 1.54-1.71:1 | 1.64-2.46:1 | 1.32-1.93:1 | 1.32-1.93:1 | 0.28 : 1 |
| Inputs | Computer | Input | 1 x 15-pin RGB mini D-sub (VGA) | 1 x 15-pin RGB mini D-sub | 1 x 15-pin RGB mini D-sub | 1 x 15-pin RGB mini D-sub | 2 x 15pin RGB mini D-sub (VGA) |
| | | Output | - | - | - | - | 1 x 15 pin RGB mini D-sub (VGA) |
| | Digital input | | 1 x HDMI type A (480p-1080p) | 1 x HDMI type A (480p-1080p) | 1 x HDMI type A (480p-1080p) | 1 x HDMI type A (480p-1080p) | 1 x HDMI type A (480p-1080p) |
| | Video | | - | - | - | - | 1 x RCA (composite) |
| | S-Video | | - | - | - | - | 1 x S-Video |
| | Component video | | Shared with RGB input terminal | Shared with RGB input terminal | Shared with RGB input terminal | Shared with RGB input terminal | via 2 x D-sub 15-pin |
| | Audio | Input | 1 x 3.5 mm stereo mini jack | 1 x 3.5 mm stereo mini jack | 1 x 3.5 mm stereo mini jack | 1 x 3.5 mm stereo mini jack | 2 x 3.5mm stereo mini jack |
| | | RCA R/L terminals | | - | - | - | RCA pin terminal (L/R) x 1 |
| | | Output | 1 x 3.5 mm stereo mini jack | 1 x 3.5 mm stereo mini jack (Variable audio output) | 1 x 3.5 mm stereo mini jack (Variable audio output) | 1 x 3.5 mm stereo mini jack (Variable audio output) | 2 x 3.5mm stereo mini jack, 1 x MIC |
| | RS-232C serial | | Yes | Yes | Yes | Yes | 1 x 9-pin mini D-sub |
| | WLAN | | - | - | - | - | Yes |
| | LAN terminal | | - | - | - | - | 1 x RJ-45 |
| | USB | | Micro-USB TypeB X 1: For firmware update | Micro-USB TypeB X 1: For firmware update | Micro-USB TypeB X 1: For firmware update | Micro-USB TypeB X 1: For firmware update | 1 x USB type A |
| | Interactive pointing | | | - | - | - | - |
| Speaker | | | - | - | - | - | 16W |
| Instant Off | | | Yes | Yes | Yes | Yes | Yes |
| Time to Full Brightness | Max | | 5 secs | 5 secs | 5 secs | 5 secs | 5 secs |
| Power Consumption | Eco Off | | 150W | Bright mode: 180W Normal mode: 155W | Bright mode: 150W Normal mode: 135W | Bright mode: 190W Normal mode: 165W | MAX 250W |
| | Eco On Level 1 | | 120W | 145W | 125W | 155W | 185W |
| | Standby | | 0.23W | 0.23W | 0.23W | 0.23W | 0.4W (LAN off), 4.8W (LAN on) |
| Colour | | | White | White | White | White | White |
| Dimensions (W x D x H) mm | | | 267 x 270 x 89 | 299 x 299 x 97 | 299 x 299 x 97 | 299 x 299 x 97 | 413 x 333 x 153 |
| Weight | | | 2.8kg | 3.5kg | 3.5kg | 3.5kg | 5.7kg |
| Box Contents | | | Remote Control (YT-150), Power Cable, Test Batteries (AAA-size x 2), Safety Precautions | Remote Control (YT-151),Power Cable, Test Batteries (AAA-size x 2), Safety Precautions | | | Remote Control (YT-140), YW-40 Wireless Adapter, RGB Cable, Power Cable, Set-up Guide, Carrying Bag, YM-80 Wall Mount |

THE WORLD'S FIRST'
LAMP-FREE
PROJECTOR

5 YEAR /
10,000 HOUR*
WARRANTY

LOW
MAINTENANCE

MERCURY
FREE

' In 2010, Casio launched the world's first Laser & LED Hybrid Lamp-free projector over 2,000 ANSI Lumens

* Whichever comes first

| <div>  ADVANCED </div> | | | GREEN SLIM SERIES | | | PRO SERIES |
|---|--|--|---|---|---|---|
| XJ-F10X | XJ-F20XN | XJ-F210WN | XJ-A142 XJ-A147 | XJ-A242 XJ-A247 | XJ-A252 XJ-A257 | XJ-H1700 |
| XGA 0.55" DLP chip | XGA 0.55" DLP chip | WXGA 0.65" DLP chip | XGA 0.55" DLP® chip | WXGA 0.65" DLP® chip | WXGA 0.65" DLP® chip | XGA 0.7" DLP® chip |
| Laser & LED Hybrid | Laser & LED Hybrid | Laser & LED Hybrid | Laser & LED Hybrid | Laser & LED Hybrid | Laser & LED Hybrid | Laser & LED Hybrid |
| 20,000 Hours | 20,000 Hours | 20,000 Hours | 20,000 Hours | 20,000 Hours | 20,000 Hours | 20,000 Hours |
| 3300 | 3300 | 3500 | 2500 | 2500 | 3000 | 4000 |
| Available (Manual) | Available (Manual) | Available (Manual) | Available (Auto / Manual) | Available (Auto / Manual) | Available (Auto / Manual) | Available (Auto / Manual) |
| 20,000:1 | 20,000:1 | 20,000:1 | 1800:1 | 1800:1 | 1800:1 | 1400 : 1 |
| XGA (1024 x 768 pixels) | XGA (1024 x 768 pixels) | WXGA (1280 x 800 pixels) | XGA (1024 x 768 pixels) | WXGA (1280 x 800 pixels) | WXGA (1280 x 800 pixels) | XGA (1024 x 768 pixels) |
| WUXGA | WUXGA | WUXGA | UXGA / WSXGA+ | UXGA / WSXGA+ | UXGA / WSXGA+ | UXGA / WSXGA+ |
| 1.5 x optical zoom (manual) | 1.5 x optical zoom (manual) | 1.5 x optical zoom (manual) | 2x optical zoom (electronic) | 2x optical zoom (electronic) | 2x optical zoom (electronic) | 1.2x optical zoom (manual) |
| Manual | Manual | Manual | Electronic | Electronic | Electronic | Manual |
| 50% | 50% | 33% | 50% | 33% | 33% | 100% |
| 35dB (default) | 35dB (default) | 35dB (default) | 35dB (default) | 35dB (default) | 35dB (default) | 33 dB (default) / 28 dB |
| Auto : +30° (Manual : ±30°) | Auto : +30° (Manual : ±30°) | Auto : +30° (Manual : ±30°) | +/- 30° (Auto) | +/- 30° (Auto) | +/- 30° (Auto) | +/- 30° (Auto) |
| 30 - 300" | 30 - 300" | 35 - 300" | 15 - 300" | 18 - 300" | 18 - 300" | 27 - 300" |
| 1.95 to 2.87m | 1.95 to 2.87m | 1.64 to 2.42m | 1.7m to 3.4m | 1.4m to 2.8m | 1.4m to 2.8m | 1.9m to 2.3m |
| 3.33 to 4.85m | 3.33 to 4.85m | 2.81 to 4.11m | 2.8m to 5.6m | 2.4m to 4.8m | 2.4m to 4.8m | 3.3m to 3.9m |
| 1.64-2.46:1 | 1.64-2.46:1 | 1.32-1.93:1 | 1.4 - 2.8:1 | 1.15 - 2.3:1 | 1.15 - 2.3:1 | 1.60 - 1.91:1 |
| 1 x 15-pin RGB mini D-sub | 1 x 15-pin RGB mini D-sub | 1 x 15-pin RGB mini D-sub | 1 x 15-pin RGB mini D-sub (VGA) | 1 x 15-pin RGB mini D-sub (VGA) | 1 x 15-pin RGB mini D-sub (VGA) | 2 x 15-pin RGB mini D-sub (VGA) |
| - | - | - | - | - | - | 1 x 15-pin RGB mini D-sub (VGA) |
| 2 x HDMI type A (480p-1080p) | 2 x HDMI type A (480p-1080p) | 2 x HDMI type A (480p-1080p) | 1 x HDMI type A (480p-1080p) | 1 x HDMI type A (480p-1080p) | 1 x HDMI type A (480p-1080p) | 1 x HDMI type A (480p-1080p) |
| 1 x RCA (composite) | 1 x RCA (composite) | 1 x RCA (composite) | 1 x RCA composite (via supplied AV cable) | 1 x RCA composite (via supplied AV cable) | 1 x RCA composite (via supplied AV cable) | 1 x RCA (composite) |
| 1 x S-Video | 1 x S-Video | 1 x S-Video | - | - | - | 1 x S-Video |
| Shared with RGB input terminal | Shared with RGB input terminal | Shared with RGB input terminal | Via D Sub 15-pin | Via D Sub 15-pin | Via D Sub 15-pin | Via D Sub 15-pin |
| 1 x 3.5 mm stereo mini jack | 1 x 3.5 mm stereo mini jack | 1 x 3.5 mm stereo mini jack | - | - | - | 1 x 3.5 mm stereo mini jack |
| RCA R/L terminals | RCA R/L terminals | RCA R/L terminals | - | - | - | RCA pin terminal (L/R) x1 |
| 1 x 3.5 mm stereo mini jack (Variable audio output) | 1 x 3.5 mm stereo mini jack (Variable audio output) | 1 x 3.5 mm stereo mini jack (Variable audio output) | From HDMI input only | From HDMI input only | From HDMI input only | 1 x 3.5 mm stereo mini jack |
| Yes | Yes | Yes | YK-60 (optional accessory) | YK-60 (optional accessory) | YK-60 (optional accessory) | 1 x 9-pin mini D-sub |
| - | Yes (optional with YW-40 adapter) | Yes (optional with YW-40 adapter) | XJ-A147 only | XJ-A247 only | XJ-A257 only | - |
| - | 1 x RJ-45 | 1 x RJ-45 | - | - | - | - |
| Micro-USB type B x 1: For logo data registration firmware update | Micro-USB type B x 1: For logo data registration firmware update | Micro-USB type B x 1: For logo data registration firmware update | 1 x USB type A (XJ-A147 only) Mirco-USB type B, Logo transfer/ Firmware update (XJ-A147 only) | 1 x USB type A (XJ-A247 only) Mirco-USB type B, Logo transfer/ Firmware update (XJ-A247 only) | 1 x USB type A (XJ-A257 only) Mirco-USB type B, Logo transfer/ Firmware update (XJ-A257 only) | - |
| - | - | - | - | - | - | - |
| 16W, Monaural | 16W, Monaural | 16W, Monaural | 1W | 1W | 1W | 10W |
| Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 5 secs | 5 secs | 5 secs | 8 secs | 8 secs | 8 secs | 5 secs |
| Bright mode: 195W Normal mode: 170W | Bright mode: 195W Normal mode: 170W | Bright mode: 205W Normal mode: 175W | 155W | 165W | 165W | 350W |
| 160W | 160W | 165W | 115W | 120W | 120W | 270W |
| 0.23W | 0.23W | 0.23W | 0.4W | 0.4W | 0.4W | 0.4W |
| White | White | White | White | White | White | White |
| 299 x 299 x 97 | 299 x 299 x 97 | 299 x 299 x 97 | 297 x 210 x 43 | 297 x 210 x 43 | 297 x 210 x 43 | 400 x 323 x 106 |
| 3.5kg | 3.5kg | 3.5kg | 2.3kg | 2.3kg | 2.3kg | 7.1kg |
| Remote Control (YT-141), Power Cable Test Batteries (AAA-size x 2), Safety Precautions | | | Remote Control (YT-130), RGB Cable, Wireless Adapter (USB models only), Power Cable, Soft Carry Case, User Manual (printed) | | | Remote Control (YT-120), RGB Cable, YW-3 Wireless Adapter (USB models only), Power Cable, Carrying Bag, User Manual, CD-ROM |

THE WORLD'S FIRST¹
**LAMP-FREE
PROJECTOR**

**5 YEAR /
10,000 HOUR*
WARRANTY**

**LOW
MAINTENANCE**

**MERCURY
FREE**

¹ In 2010, Casio launched the world's first Laser & LED Hybrid Lamp-free projector over 2,000 ANSI Lumens
* Whichever comes first

For more information on Casio projectors visit www.casio.co.uk/projectors or call **020 8208 9453**

Green Slim Series

The ideal replacement projector

The Green Slim series uses the environmentally-friendly Casio Laser & LED Hybrid light source and is the perfect choice for those looking to upgrade their existing installed projectors. An industry-leading 2x optical zoom means that a Green Slim model will replace almost any installed projector seamlessly, without having to change ceiling brackets. This helps to keep budgets under control and disruption to a minimum.

The Green Slim series offers brightness levels up to 3,000 ANSI lumens, more than enough for even a large, bright meeting room. All models have HDMI connectivity, enabling the presentation of HD content. They are light and portable, so can easily be moved between rooms if required.

- Lamp-free
- Up to 3,000 ANSI lumens
- XGA and WXGA resolution
- Flexible 2x optical zoom allowing easy installation
- Quick start and stop
- WLAN and USB (selected models only)
- HD ready
- Portable
- Less than A4 size

| Models | Brightness (ANSI lumens) | Resolution | USB/WLAN |
|---------|--------------------------|------------|----------|
| XJ-A257 | 3,000 | WXGA | Yes |
| XJ-A247 | 2,500 | | |
| XJ-A147 | 2,500 | XGA | No |
| XJ-A252 | 3,000 | WXGA | |
| XJ-A242 | 2,500 | | |
| XJ-A142 | 2,500 | XGA | |

“WE TESTED THREE MODELS FROM DIFFERENT MANUFACTURERS, BUT IT DIDN'T TAKE LONG TO SEE THAT THE CASIO SOLUTION WAS HEAD AND SHOULDERS ABOVE ITS RIVALS” THOMAS DEACON ACADAMEY



Click here to read full case study



THE WORLD'S FIRST
**LAMP-FREE
PROJECTOR**

**5 YEAR /
10,000 HOUR*
WARRANTY**

**LOW
MAINTENANCE**

**MERCURY
FREE**

* In 2010, Casio launched the world's first Laser & LED Hybrid Lamp-free projector over 2,000 ANSI Lumens
* Whichever comes first

Pro Series

High brightness projectors for installation

The Pro series offers high brightness projection solutions using the environmentally-friendly Casio Laser & LED Hybrid light source. Perfect for large meeting rooms and smaller school halls. The XJ-H1700 delivers 4,000 ANSI lumens with consistent brightness and a 20,000 hour life expectancy.

- Lamp-free
- 4,000 ANSI lumens performance
- Intelligent Brightness Control
- Extensive connectivity options
- XGA and WXGA resolution
- 3D Ready
- Quick start and stop

| Models | Brightness (ANSI lumens) | Resolution | USB/LAN |
|----------|-----------------------------|------------|---------|
| XJ-H1700 | 4,000 | XGA | Yes |

“WE HAVE BEEN USING THE CASIO PRO SERIES FOR OVER THREE YEARS NOW, DECREASING DOWNTIME, TCO AND ULTIMATELY SAVING AV BUDGET AND RESOURCES” LONDON SCHOOL OF ECONOMICS



[Click here](#) to read full case study



GO LAMP-FREE AND SAVE

Our projectors cost you less over time: Low power consumption, virtually no maintenance, no replacement parts, industry leading warranty

ISN'T IT TIME YOU MADE THE SWITCH?

SEE HOW MUCH YOU CAN SAVE AT
CASIO.CO.UK/TCO



Remote projector management


Crestron Roomview Express®



Crestron Roomview Express® software provides a custom configurable interface to monitor, manage and control compatible devices in every room remotely from any computer. Use this **FREE** network management software to control up to 250 Casio projectors from a single location.

Compatible with all Casio LAN projectors

- Manage up to 250 projectors at the same time (via master PC).
- Alter the projector settings using a simple web browser page including OSD menu control.
- Set up email alerts for warning messages.
- Ideal for large installations in both educational and business environments.
- Can be downloaded for FREE



Download Crestron RoomView® Express software free from: **www.crestron.com/getroomview**


Lamp-free technology benefits



Shorter Startup and shutdown time required

Project with confidence without delay. Casio Laser & LED Projectors has the ability to turn On/Off as fast as 5 seconds. This reduces waiting time compared to traditional lamp-based projectors.

The drastic reduction in waiting time for the projector to start up and shutdown allows you to be more time efficient during your presentation. This also means that you do not need to wait for the projector to cool down at all after your presentation.





*1 As little as 8 seconds with slim models
*2 Supported models: Core and Advanced models.



Reduced labour for trouble-shooting and virtually no maintenance required

Casio projectors have the advantage of not having to worry about expensive lamp and filter replacements. This brings significant cost and time savings.

Adoption of a long-life light source and dust-resistant design minimizes the risk of interrupted use due to technical problems, such as a burnt-out lamp or clogged filter. Projectors can be used without concern for consumables preparation, management, maintenance and disposal.




*Comparison with a high-pressure mercury lamp model (earlier CASIO product).
As of February 2016, CASIO investigation.



Reductions in both cost and size

Using the environmentally friendly Laser & LED Hybrid light source, Casio Projectors achieve incredible low power consumption, reducing electricity costs as a result. Their compact size provides easy portability also.

By adopting the Laser & LED Light source, it enables you to save up to 40% of energy consumption against traditional lamp based projectors by using our very own Light Control Function. The size of these new projectors are now made to be more compact compared to the predecessor models.



*Numerical figures represent comparisons between 3,000 lumens models.

THE CASIO RANGE OF PROJECTORS



CORE

[04]

The Core series is the ideal replacement projector offering outstanding low total cost of ownership. Our most affordable projectors ever achieve low power consumption, whilst still creating quality, impactful presentations over its 20,000 hour lifetime.



ADVANCED

[05]

With brightness of up to 3,500 ANSI lumens, 1.5x zoom, and extensive connectivity options, the new Advanced series is the ideal replacement for a variety of applications.



ULTRA SHORT THROW [06]

The Ultra Short Throw model offers brightness of 3,100 ANSI lumens – more than enough for even a large, bright classroom or meeting room and features WXGA switchable to XGA, offering compatibility with new and existing installations.



GREEN SLIM

[07]

The Green Slim series is the perfect choice for those looking to upgrade their current projectors. An industry-leading 2x optical zoom means that a Green Slim model will replace almost any installed projector seamlessly, without having to move the existing ceiling brackets.



PRO

[09]

The 4,000 ANSI Lumens Pro model is the perfect option for those wanting to take advantage of the Laser & LED Hybrid light source in larger spaces. The Pro model also offers advanced connectivity, perfect for the demands of these types of installation.

CLICK HERE FOR MORE INFORMATION ABOUT THE CASIO PROJECTOR RANGE OR CALL **020 8208 9453**

SEE HOW MUCH YOU CAN SAVE
WITH CASIO PROJECTORS
casio.co.uk/tco



casio.co.uk/projectors